

Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

1 di 16

Page

Document n°

N° rev.

Compiled by RLAB

Approved by DG

Filed by RLAB

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

UFI:

Code: **F_159**

Product name Detergente ACETO+ Milleusi DEXAL

CCY5-P0NA-F00X-TSK5

1.2. Relevant identified uses of the substance or mixture and uses advised against

na resolution and a second and a second and a second and a second									
Identified Uses	Industrial	Professional	Consumer						
hard surface cleaner	-	✓	✓						
Uses Advised Against									

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name NEW FADOR S.r.I.
Full address via Mario Calderara, 31
District and Country 25018 Montichiari (BS)

Italia

Tel. +39 030961 243

www.newfador.it

e-mail address of the competent person

responsible for the Safety Data Sheet info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to emergency number: 112

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

If medical advice is needed, have product container or label at hand.

P101 If medical advice is needed, h P102 Keep out of reach of children.

P264 Wash your hands thoroughly after use.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 5/11 09/02/2024 5 **RLAB** DG **RLAB** 2 di 16

rinsina.

If eye irritation persists: Get medical advice / attention. P337+P313

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% Cationic surfactants, Non-ionic surfactants

Disinfectants (Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides)

perfumes

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

acetic acid 4,8%

INDEX 607-002-00-6 $4,5 \le x < 5$ Flam. Liq. 3 H226,

Skin Corr. 1A H314,

Eye Dam. 1 H318,

Classification note according to Annex VI to the CLP Regulation: B EC 200-580-7

Skin Corr. 1A H314: ≥ 90%, Skin Corr. 1B H314: ≥ 25%, Skin Irrit. 2 H315: ≥ 10%, Eye Dam. 1 H318: ≥ 25%,

Eye Irrit. 2 H319: ≥ 10%

CAS 64-19-7

REACH Reg. 01-2119475328-30

ETHANOL

INDEX 603-002-00-5 $1.5 \le x < 2$

Flam. Liq. 2 H225, Eye Irrit. 2 H319 Eye Irrit. 2 H319: ≥ 50%

EC 200-578-6 CAS 64-17-5

REACH Reg. 01-2119457610-43

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

 $1 \le x < 1.5$ INDFX -Acute Tox. 4 H302,

Eye Dam. 1 H318, Aquatic Chronic 3 H412 Eye Dam. 1 H318: ≥ 10%, Eye Irrit. 2 H319: ≥ 1% LD50 Oral: >300 mg/kg

EC 931-954-4

CAS 160901-19-9 REACH Reg. 01-2119490233-42

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

INDEX - $0.2 \le x < 0.25$ Acute Tox. 4 H302,

Skin Corr. 1B H314, Eye Dam. 1 H318, Eye Dam. 1 H318,

Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 5/11 09/02/2024 5 RLAB DG RLAB 3 di 16

EC 270-325-2 LD50 Oral: 795 mg/kg

CAS 68424-85-1

REACH Reg. 01-2119965180-41

MORPHOLINE

INDEX 613-028-00-9 $0 \le x < 0.05$ Flam. Liq. 3 H226,

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318

EC 203-815-1 LD50 Oral: 1050 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l

CAS 110-91-8

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page

5/11 09/02/2024 5 RLAB DG RLAB 4 di 16

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

AUS	Österreich	Gesamte Rechtsvorschrift für Grenzwerteverordnung 2021 , Fassung vom 17.06.2021
BEL	Belgique	Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail
BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ
	•	С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CYP	Κύπρος	Οι πεπί Αζθάλειαρ και Υγείαρ ζηην Δπγαζία (Φημικοί Παπάγονηερ) (Τποποποιηηικοί) Κανονιζμοί ηος 2019.
		Οι περί Ασφάλειας και Υγείας στην Εργασία (Καρκινογόνοι και Μεταλλαξιογόνοι Παράγοντες)
		(Τροποποιητικοί) Κανονισμοί του 2020
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se
	·	stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.
		MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher
		Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH



MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

N° rev. Compiled by Approved by Filed by Document n° Date prepared Page 5/11 09/02/2024 5 **RLAB** DG **RLAB** 5 di 16

HÄLSOVÅRDSMINISTERIETS PUBLIKATIONER 2020:25

GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/A` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με
		την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők
	0, 0	hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
IRL	Éire	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-
LUX	Luxembourg	2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019) Règlement grand-ducal du 24 janvier 2020 modifiant le règlement grand-ducal du 14 novembre 2016
LOX	Luxembourg	concernant la protection des salariés contre les risques liés à l'exposition à des agents cancérigènes ou mutagènes au travail
LTU	Lietuva	Jsakymas dėl lietuvos higienos normos hn 23:2011 "cheminių medžiagų profesinio poveikio ribiniai dydžiai.
		Matavimo ir poveikio vertinimo bendrieji reikalavimai"patvirtinimo
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē
		ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)
MLT	Malta	PROTECTION OF THE HEALTH AND SAFETY OF WORKERS FROM THE RISKS RELATED TO
		CHEMICAL AGENTS AT WORK REGULATIONS (S.L.424.24). PROTECTION OF WORKERS FROM THE RISKS RELATED TO EXPOSURE TO CARCINOGENS OR MUTAGENS AT WORK REGULATIONS
		(S.L.424.22)
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i
		arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid,
DDT	Б	en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à
		exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w
		sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea
0)4/5	0 :	și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s
		expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list
		RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983;
		Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
	TLV-ACGIH	2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. ACGIH 2022
	ILV-AUGIN	A00II 1 2022

acetic acid 4,8% Threshold Limit Value						
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
MAK	AUS	25	10	50	20	
VLEP	BEL	25	10	38	15	
TLV	BGR	25		37		
TLV	CYP	25	10			
TLV	CZE	25		35		
AGW	DEU	25	10	50	20	
MAK	DEU	25	10	50	20	
TLV	DNK	25	10			
VLA	ESP	25	10	37	15	
VLEP	FRA			25	10	
HTP	FIN	13	5	25	10	
TLV	GRC	25	10	37	15	
AK	HUN	25		25		
GVI/KGVI	HRV	25	10			
OELV	IRL	25	10	37	15	
VL	LUX	25	10			
RD	LTU	25	10			

S.I.C_{srl}

MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 5/11 09/02/2024 5 RLAB DG RLAB 6 di 16

RV	LVA	25	10				
TLV	NOR	25	10				
VLE	PRT	25	10				
NDS/NDSCh	POL	15		30			
NGV/KGV	SWE	13	5	25	10		
NPEL	SVK	25	10				
MV	SVN	25	10				
OEL	EU	25	10	50	20		
TLV-ACGIH		25	10	37	15		
Predicted no-effect conc	entration - PNEC						
Normal value in fresh wa	ater			3,058		mg/l	
Normal value in marine	water			0,306		mg/l	
Normal value for fresh w	ater sediment			11,36		mg/kg	
Normal value for marine	water sediment			1,136		mg/kg	
Normal value for water, intermittent release				30,58		mg/l	
Normal value of STP mid	croorganisms			85		mg/l	
Normal value for the terrestrial compartment				0,47		mg/kg	
Health - Derived no-	-effect level - DNEL Effects on	/ DMEL					
		Effects of	on				

Health - Derived no-effect level - DNEL / DMEL										
	Effects on				Effects on					
	consumers				workers					
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic		
				systemic		systemic		systemic		
Inhalation	25 mg/m3		25 mg/m3		25 mg/m3		25 mg/m3			

ETHANOL						
Threshold Limit Valu	ie					
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
MAK	AUS	1900	1000	3800	2000	
VLEP	BEL	1907	1000			
TLV	BGR	1000				
TLV	CZE	1000		3000		
AGW	DEU	960	500	1920	1000	
MAK	DEU	960	500	1920	1000	
TLV	DNK	1900	1000			
VLA	ESP			1910	1000	
VLEP	FRA	1900	1000	9500	5000	
HTP	FIN	1900	1000	2500	1300	
TLV	GRC	1900	1000			
AK	HUN	1900		7600		
GVI/KGVI	HRV	1900	1000			
OELV	IRL				1000	
RD	LTU	1000	500	1900	1000	
RV	LVA	1000				
TLV	NOR	950	500			
TGG	NLD	260		1900		
NDS/NDSCh	POL	1900				
NGV/KGV	SWE	1000	500	1900	1000	
NPEL	SVK	960	500	1920		
WEL	GBR	1920	1000			
TLV-ACGIH				1884	1000	
Predicted no-effect conce	ntration - PNEC					
Normal value in fresh wat	er			0,96	mç	g/l
Normal value in marine w	ater			0,79	mç	g/l
Normal value for fresh wa	ter sediment			3,6	mç	g/kg



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 5/11 09/02/2024 5 RLAB DG RLAB 7 di 16

Normal value for marine water sediment	2,9	mg/kg	
Normal value for water, intermittent release	2,75	mg/l	
Normal value of STP microorganisms	580	mg/l	
Normal value for the food chain (secondary poisoning)	0,38	mg/kg	
Normal value for the terrestrial compartment	0,63	mg/kg	

	•				•	, ,		
Health - Derived no-ef	fect level - DNEL / I	OMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral				87 mg/kg				
				bw/d				
Inhalation				114 mg/m3				950 mg/m3
Skin				206 mg/kg				343 mg/kg
				bw/d				bw/d

Туре	Country	TWA/8h		STEL/15min	ı	Remarks /	
		mg/m3	ppm	mg/m3	ppm	Observation	ns
MAK	AUS	36	10	36	10		Häufigkeit pro Schicht:4x
VLEP	BEL	36	10	72	20	SKIN	<u> </u>
TLV	BGR	36	10	72	20		
TLV	CZE	35	9,66	70	19,32		
AGW	DEU	36	10	72	20	SKIN	
MAK	DEU	36	10	72	20		
TLV	DNK	36	10			SKIN	E
VLA	ESP	36	10	72	20		
VLEP	FRA	36	10	72	20		
HTP	FIN	36	10	72	20	SKIN	
TLV	GRC	36	10	72	20		
AK	HUN	36		72			
VLEP	ITA	36	10	72	20	SKIN	
OELV	IRL	36	10	72	20	SKIN	
VL	LUX	36	10	72	20		
RD	LTU	36	10	72	20		
RV	LVA	36	10	72	20		
TLV	MLT	36	10	72	20		
TLV	NOR	36	10			SKIN	
TGG	NLD	36		72		SKIN	
VLE	PRT	36	10	72	20		
NDS/NDSCh	POL	36		72		SKIN	
TLV	ROU	36	10	72	20		
NGV/KGV	SWE	35	10	72	20		
NPEL	SVK	36	10	72	20		
MV	SVN	36	10	72	20	SKIN	
WEL	GBR	36	10	72	20	SKIN	
OEL	EU	36	10	72	20		
TLV-ACGIH		71	20			SKIN	

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
5/11	09/02/2024	5	RLAB	DG	RLAB	8 di 16

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value liquid	Information
Colour	colourless	
Odour	characteristic	
Melting point / freezing point	0 °C	Method: literature data Substance: WATER
Initial boiling point	100 °C	Method: literature data Substance: WATER
Flammability	not available	Reason for missing data: The substance/mixture is not flammable
Lower explosive limit	not available	Reason for missing data: The substance/mixture is not explosive
Upper explosive limit	not available	Reason for missing data: The substance/mixture is not explosive
Flash point	> 100 °C	Method: ASTM D 93 Reason for missing data: The substance/mixture is not flammable
Auto-ignition temperature	not available	Reason for missing data: The substance/mixture does not self -have
Decomposition temperature	not available	Reason for missing data: It only applies to authoritative substances and mixtures, organic peroxides and other substances and mixtures that they can decompose
рН	2.5 ± 0.4	Method: internal method Temperature: 20 °C
Kinematic viscosity Solubility Partition coefficient: n-octanol/water	not available Complete in water not available	Reason for missing data: not determined Method: internal Reason for missing data: does not apply to
i artificit cociniciciti. Il octanol/water	not available	reason for missing data. does not apply to



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2

Sch. Date 05/2010

Sheet Rev.1

Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
5/11	09/02/2024	5	RLAB	DG	RLAB	9 di 16

inorganic and ionic liquids and, as a rule, it

does not apply to blends

Vapour pressure 0,02 Atm Method: internal Substance: WATER

Temperature: 20 °C

Density and/or relative density Method: scaled scale and cylinder

Temperature: 20 °C Method: internal

0,0006 Remark: kg/dm3

Substance: WATER Temperature: 0 °C

Particle characteristics

Relative vapour density

Median equivalent diameter

It only applies to solids Remark:

Size distribution

It only applies to solids Remark:

Dustiness

It only applies to solids Remark:

Specific surface area

Remark: It only applies to solids

Shape

Remark: It only applies to solids

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not available Reason for missing data: Absent chemical

groups associated with explosive properties in accordance with the provisions of Annex I, Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008

Oxidising properties not available Reason for missing data: Absent

requirements related to the presence of atoms or chemical bonds associated with oxidizing properties in the molecules of the components according to Annex I, Part 2,

2.13.4 Reg. (CE) 1272/2008

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

ACETIC ACID 4,8%



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 5/11 09/02/2024 5 RLAB DG RLAB 10 di 16

Risk of explosion on contact with: chromium (VI) oxide,potassium permanganate,sodium peroxide,perchloric acid,phosphorus chloride,hydrogen peroxide. May react dangerously with: alcohols, bromine pentafluoride, chlorosulphuric acid, dichromate-sulphuric acid, ethane diamine, ethylene glycol, potassiun hydroxide, strong bases, sodium hydroxide, strong oxidising agents, nitric acid, ammonium nitrate, potassium tert-butoxide, oleum. Forms explosive mixtures with: air.

ETHANOL

Risk of explosion on contact with: alkaline metals,alkaline oxides,calcium hypochlorite,sulphur monofluoride,acetic anhydride,acids,concentrated hydrogen peroxide,perchloriates,perchloric acid,perchlorionitrile,mercury nitrate,nitric acid,silver,silver nitrate,ammonia,silver oxide,ammonia,strong oxidising agents,nitrogen dioxide.May react dangerously with: bromoacetylene,chlorine acetylene,bromine trifluoride,chromium trioxide,chromyl chloride,fluorine,potassium tert-butoxide,lithium hydride,phosphorus trioxide,black platinum,zirconium (IV) chloride,zirconium (IV) iodide.Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

ACETIC ACID 4,8%

Avoid exposure to: sources of heat,naked flames.

ETHANOL

Avoid exposure to: sources of heat,naked flames.

10.5. Incompatible materials

ACETIC ACID 4.8%

Incompatible with: carbonates, hydroxides, phosphates, oxidising substances, bases.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/k

ATE (Dermal) of the mixture: Not classified (no significant component)

ACETIC ACID 4,8%

LD50 (Dermal): 1060 mg/kg Rabbit LD50 (Oral): 3310 mg/kg Rat LC50 (Inhalation vapours): 11,4 mg/l/4h Rat

ETHANOL

LD50 (Oral): > 5000 mg/kg Rat

LC50 (Inhalation vapours): 120 mg/l/4h Pimephales promelas

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Dermal): > 2000 mg/kg rabbit



Document n°

5/11

MATERIAL SAFETY DATA SHEET

Conforming to Reg. (EU) 878/2020 Compiled by

RLAB

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Filed by Page **RLAB** 11 di 16

LD50 (Oral): > 300 mg/kg rat

Date prepared

09/02/2024

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

N° rev.

5

LD50 (Oral): 795 mg/kg rat

MORPHOLINE

500 mg/kg Rabbit LD50 (Dermal):

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

Approved by

DG

1050 mg/kg Rat LD50 (Oral): LC50 (Inhalation vapours): 35,1 mg/l/1h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

EC50 - for Algae / Aquatic Plants > 1 mg/l/72h Desmodesmus subspicatus

EC10 for Crustacea > 0,1 mg/l Daphnia magna

ETHANOL

LC50 - for Fish 14200 mg/l/96h EC50 - for Crustacea 454 mg/l/48h 275 mg/l/72h EC50 - for Algae / Aquatic Plants Chronic NOEC for Fish 250 mg/l Chronic NOEC for Crustacea 96 mg/l Chronic NOEC for Algae / Aquatic Plants 11,5 mg/l

ACETIC ACID 4,8%

LC50 - for Fish > 1000 mg/l/96hEC50 - for Crustacea > 300,82 mg/l/48h > 1000 mg/l/72hEC50 - for Algae / Aquatic Plants

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES LC50 - for Fish

0,85 mg/l/96h Oncorhynchus mykiss



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
5/11	09/02/2024	5	RLAB	DG	RLAB	12 di 16

EC50 - for Crustacea Chronic NOEC for Crustacea 0,016 mg/l/48h Daphnia magna 0,025 mg/l Daphnia magna,21d

12.2. Persistence and degradability

MORPHOLINE

Solubility in water 1000 - 10000 mg/l

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED Rapidly degradable

ETHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

ACETIC ACID 4,8%

Solubility in water > 10000 mg/l

Rapidly degradable

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES Rapidly degradable

12.3. Bioaccumulative potential

MORPHOLINE

Partition coefficient: n-octanol/water -2,55 BCF < 0,65

ETHANOL

Partition coefficient: n-octanol/water -0,35

ACETIC ACID 4,8%

Partition coefficient: n-octanol/water -0,17

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Partition coefficient: n-octanol/water 2,88

12.4. Mobility in soil

MORPHOLINE

Partition coefficient: soil/water -0,6196

ALCOHOLS, C12-13, BRANCHED AND

LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69

ACETIC ACID 4,8%

Partition coefficient: soil/water 1,153

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
5/11	09/02/2024	5	RLAB	DG	RLAB	13 di 16

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page
5/11 09/02/2024 5 RLAB DG RLAB 14 di 16

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Flam. Liq. 3 Flammable liquid, category 3
Acute Tox. 4 Acute toxicity, category 4
Skin Corr. 1A Skin corrosion, category 1A
Skin Corr. 1B Skin corrosion, category 1B
Eye Dam. 1 Serious eye damage, category 1
Eye Irrit. 2 Eye irritation, category 2

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H225 Highly flammable liquid and vapour.H226 Flammable liquid and vapour.

H302 Harmful if swallowed.
H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 5/11 09/02/2024 5 **RLAB** DG **RLAB** 15 di 16

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament

- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP) 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.



Conforming to Reg. (EU) 878/2020

Sheet Code S-P4/2-2 Sch. Date 05/2010

Sheet Rev.1

Document n° Date prepared N° rev. Compiled by Approved by Filed by Page 5/11 09/02/2024 5 RLAB DG RLAB 16 di 16

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 08 / 09 / 10 / 11 / 12 / 13 / 15 / 16.