		<h1>MATERIAL SAFETY DATA SHEET</h1> <p>Conforming to Reg. (EU) 830/2015</p>				Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	1 di 14

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: **F_145**
 Product name: **DEXAL LAVA PAVIMENTI Classico**
 UFI: **703W-P0SK-G003-F17D**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
hard surface cleaner	-	✓	✓

Uses Advised Against

Do not use for uses other than those indicated

1.3. Details of the supplier of the safety data sheet

Name: **NEW FADOR S.r.l.**
 Full address: **via Mario Calderara, 31**
 District and Country: **25018 Montichiari (BS)**
Italia
 Tel. **+39 030961 243**

www.newfador.it

e-mail address of the competent person responsible for the Safety Data Sheet

info@newfador.it

1.4. Emergency telephone number

For urgent inquiries refer to **tel. +39 030 961243 (office hours)**

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements:

H319

Causes serious eye irritation.

EUH208

Contains: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one
 May produce an allergic reaction.

Precautionary statements:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P264

Wash your hands thoroughly after use.

P280

Wear eye protection / face protection.


P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice / attention.

Ingredients according to Regulation (EC) No. 648/2004

 Società Italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 830/2015					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	2 di 14

Less than 5% Anionic surfactants, Non-ionic surfactants, Soap

perfumes

Preservation agents: METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE , BENZISOTHIAZOLINONE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.
The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients


3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED INDEX - EC 931-954-4 CAS 160901-19-9 REACH Reg. 01-2119490233-42	$2 \leq x < 2,5$	Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412 Eye Dam. 1 H318: \geq 10%, Eye Irrit. 2 H319: \geq 1% LD50 Oral: >300 mg/kg
BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS INDEX - EC 270-115-0 CAS 68411-30-3 REACH Reg. 01-2119489428-22	$1,5 \leq x < 2$	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412 LD50 Oral: 1080 mg/kg
1,2-benzisothiazol-3(2H)-one INDEX 613-088-00-6 EC 220-120-9 CAS 2634-33-5	$0 \leq x < 0,036$	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 Skin Sens. 1A H317: \geq 0,036% LD50 Oral: 450 mg/kg, STA Inhalation mists/powders: 0,051 mg/l
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) INDEX 613-167-00-5 EC 611-341-5	$0 \leq x < 0,0015$	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071, Classification note according to Annex VI to the CLP Regulation: B Skin Corr. 1C H314: \geq 0,6%, Skin Irrit. 2 H315: \geq 0,06%,

		<h1 style="margin: 0;">MATERIAL SAFETY DATA SHEET</h1> <p style="margin: 0;">Conforming to Reg. (EU) 830/2015</p>				Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	3 di 14

CAS 55965-84-9

MORPHOLINE

INDEX 613-028-00-9

EC 203-815-1

CAS 110-91-8

$0 \leq x < 0,05$

Skin Sens. 1A H317: $\geq 0,0015\%$,
 Eye Dam. 1 H318: $\geq 0,6\%$,
 Eye Irrit. 2 H319: $\geq 0,06\%$
 LD50 Oral: 64 mg/kg bw,
 LD50 Dermal: 87,12 mg/kg bw,
 LC50 Inhalation mists/powders: 0,31 mg/l/4h

Flam. Liq. 3 H226,
 Acute Tox. 4 H302,
 Acute Tox. 4 H312,
 Acute Tox. 4 H332,
 Skin Corr. 1B H314,
 Eye Dam. 1 H318
 LD50 Oral: 1050 mg/kg,
 STA Dermal: 1100 mg/kg,
 STA Inhalation vapours: 11 mg/l

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters


GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

 Società Italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 830/2015					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	4 di 14

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)


Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

AUS	Österreich	Gesamte Rechtsvorschrift für Grenzwertverordnung 2021, Fassung vom 17.06.2021
BEL	Belgique	Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail
BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nařízení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
IRL	Éire	2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)
LUX	Luxembourg	Règlement grand-ducal du 24 janvier 2020 modifiant le règlement grand-ducal du 14 novembre 2016 concernant la protection des salariés contre les risques liés à l'exposition à des agents cancérigènes ou

 Società Italiana Chimica	<h1 style="margin: 0;">MATERIAL SAFETY DATA SHEET</h1> <p style="margin: 0;">Conforming to Reg. (EU) 830/2015</p>					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	5 di 14

LTU	Lietuva	mutagēnes au travail Jsakymas dėl lietuovos higienos normos hn 23:2011 „cheminių medžiagų profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai“ patvirtinimo
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskaņā ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)
MLT	Malta	PROTECTION OF THE HEALTH AND SAFETY OF WORKERS FROM THE RISKS RELATED TO CHEMICAL AGENTS AT WORK REGULATIONS (S.L.424.24). PROTECTION OF WORKERS FROM THE RISKS RELATED TO EXPOSURE TO CARCINOGENS OR MUTAGENS AT WORK REGULATIONS (S.L.424.22)
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255
NLD	Nederland	Arbidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénym a mutagénym faktorom pri práci v znení neskorších predpisov
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,268	mg/l
Normal value in marine water	0,027	mg/l
Normal value for fresh water sediment	8,1	mg/kg
Normal value for marine water sediment	6,8	mg/kg
Normal value for water, intermittent release	0,017	mg/l
Normal value of STP microorganisms	3,43	mg/l
Normal value for the terrestrial compartment	35	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,425 mg/kg bw/d				
Inhalation			1,5	1,5 mg/m3			6	6 mg/m3
Skin				42,5 mg/kg bw/d				85 mg/kg bw/d

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Threshold Limit Value


Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
MAK	AUS	0,05				
MAK	DEU	0,2		0,4		INHAL

Predicted no-effect concentration - PNEC

Normal value in fresh water	3,39	µg/L
Normal value in marine water	3,39	µg/L
Normal value for fresh water sediment	0,027	mg/kg
Normal value for marine water sediment	0,027	mg/kg
Normal value of STP microorganisms	0,23	mg/l
Normal value for the terrestrial compartment	0,01	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local

 Società Italiana chimica	<h1 style="margin: 0;">MATERIAL SAFETY DATA SHEET</h1> <p style="margin: 0;">Conforming to Reg. (EU) 830/2015</p>					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	6 di 14

Oral		0,11 mg/kg bw/d		systemic		systemic		systemic
Inhalation	0,04 mg/m3		0,02 mg/m3		0,04 mg/m3		0,02 mg/m3	

MORPHOLINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
MAK	AUS	36	10	36	10	Häufigkeit pro Schicht:4x
VLEP	BEL	36	10	72	20	SKIN
TLV	BGR	36	10	72	20	
TLV	CZE	35	9,66	70	19,32	
AGW	DEU	36	10	72	20	SKIN
MAK	DEU	36	10	72	20	
TLV	DNK	36	10			SKIN E
VLA	ESP	36	10	72	20	
VLEP	FRA	36	10	72	20	
HTP	FIN	36	10	72	20	SKIN
TLV	GRC	36	10	72	20	
AK	HUN	36		72		
VLEP	ITA	36	10	72	20	SKIN
OELV	IRL	36	10	72	20	SKIN
VL	LUX	36	10	72	20	
RD	LTU	36	10	72	20	
RV	LVA	36	10	72	20	
TLV	MLT	36	10	72	20	
TLV	NOR	36	10			SKIN
TGG	NLD	36		72		SKIN
VLE	PRT	36	10	72	20	
NDS/NDSch	POL	36		72		SKIN
TLV	ROU	36	10	72	20	
NGV/KGV	SWE	35	10	72	20	
NPEL	SVK	36	10	72	20	
MV	SVN	36	10	72	20	SKIN
WEL	GBR	36	10	72	20	SKIN
OEL	EU	36	10	72	20	
TLV-ACGIH		71	20			SKIN

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION


Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with

 Società Italiana chimica	<h1 style="margin: 0;">MATERIAL SAFETY DATA SHEET</h1> <p style="margin: 0;">Conforming to Reg. (EU) 830/2015</p>					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	7 di 14

soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties


Properties	Value	Information
Appearance	liquid	Method: internal Temperature: 20 °C
Colour	blue	Temperature: 20 °C
Odour	characteristic	Method: internal
Melting point / freezing point	0 °C	Method: literature data Substance: WATER
Initial boiling point	100 °C	Method: literature data Substance: WATER
Flammability	not available	Reason for missing data: The substance/mixture is not flammable
Lower explosive limit	not available	Reason for missing data: The substance/mixture is not explosive
Upper explosive limit	not available	Reason for missing data: The substance/mixture is not explosive
Flash point	not available	Reason for missing data: The substance/mixture is not flammable
Auto-ignition temperature	not available	Reason for missing data: The substance/mixture does not self -have
Decomposition temperature	not available	Reason for missing data: It only applies to authoritative substances and mixtures, organic peroxides and other substances and mixtures that they can decompose
pH	8,5 - 9,5	Method: internal method Temperature: 20 °C
Kinematic viscosity	not available	Reason for missing data: not determined
Solubility	Complete in water	Method: internal Temperature: 20 °C
Partition coefficient: n-octanol/water	not available	Reason for missing data: does not apply to inorganic and ionic liquids and, as a rule, it does not apply to blends
Vapour pressure	0,02 Atm	Method: literature data Substance: WATER Temperature: 20 °C
Density and/or relative density	1,004 g/cm3	Method: internal Temperature: 20 °C
Relative vapour density	0,0006	Method: Literature data Remark: kg/dm3 Substance: WATER Temperature: 0 °C

Particle characteristics

Median equivalent diameter

Remark: It only applies to solids

Size distribution

 Società Italiana chimica	<h1>MATERIAL SAFETY DATA SHEET</h1> <p>Conforming to Reg. (EU) 830/2015</p>					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	8 di 14

Remark: It only applies to solids

Dustiness

Remark: It only applies to solids

Specific surface area

Remark: It only applies to solids

Shape

Remark: It only applies to solids

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not available

Reason for missing data: Absent chemical groups associated with explosive properties in accordance with the provisions of Annex I, Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008 - CLP

Oxidising properties not available

Reason for missing data: Absent requirements related to the presence of atoms or chemical bonds associated with oxidizing properties in the molecules of the components according to Annex I, Part 2, 2.13.4 Reg. (CE) 1272/2008

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

MORPHOLINE

On contact with: strong oxidising agents, reducing agents, strong acids, strong bases. May develop: heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products


Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

 Società Italiana Chimica	<h1>MATERIAL SAFETY DATA SHEET</h1> <p>Conforming to Reg. (EU) 830/2015</p>					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	9 di 14

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: Not classified (no significant component)

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Dermal): > 2000 mg/kg rabbit
 LD50 (Oral): > 300 mg/kg rat

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LD50 (Dermal): > 2000 mg/kg rat
 LD50 (Oral): 1080 mg/kg rat

1,2-benzisothiazol-3(2H)-one

LD50 (Oral): 450 mg/kg
 LC50 (Inhalation mists/powders): 0,21 mg/l

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

LD50 (Dermal): 87,12 mg/kg bw rat
 LD50 (Oral): 64 mg/kg bw rat
 LC50 (Inhalation mists/powders): 0,31 mg/l/4h rat

MORPHOLINE

LD50 (Dermal): 500 mg/kg Rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 1050 mg/kg Rat
 LC50 (Inhalation vapours): 35,1 mg/l/1h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
 1,2-benzisothiazol-3(2H)-one

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE


Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

		MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 830/2015				Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	10 di 14

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

EC50 - for Algae / Aquatic Plants

> 1 mg/l/72h *Desmodesmus subspicatus*

EC10 for Crustacea

> 0,1 mg/l *Daphnia magna*

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

LC50 - for Fish

0,58 mg/l/96h *Danio rerio*

EC50 - for Crustacea

1,02 mg/l/48h *Daphnia magna*

EC50 - for Algae / Aquatic Plants

0,379 mg/l/72h IC50, *Pseudokirchneriella subcapitata*

Chronic NOEC for Fish

0,007 mg/l *Salvelinus fontinalis*, 30d

Chronic NOEC for Crustacea

0,013 mg/l *Dafnia*

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LC50 - for Fish

1,67 mg/l/96h

EC50 - for Crustacea

2,9 mg/l/48h

EC50 - for Algae / Aquatic Plants

0,91 mg/l/72h

Chronic NOEC for Fish

0,23 mg/l 72d

Chronic NOEC for Crustacea

0,5 mg/l 7d

Chronic NOEC for Algae / Aquatic Plants

0,5 mg/l 96h

12.2. Persistence and degradability

MORPHOLINE

Solubility in water

1000 - 10000 mg/l

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Rapidly degradable

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

NOT rapidly degradable

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Rapidly degradable

12.3. Bioaccumulative potential

MORPHOLINE

Partition coefficient: n-octanol/water

-2,55

BCF

< 0,65

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

BCF

159

12.4. Mobility in soil

MORPHOLINE


Partition coefficient: soil/water

-0,6196

ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Partition coefficient: soil/water

3,69

 Società Italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 830/2015					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	11 di 14

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user


not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

		<h1>MATERIAL SAFETY DATA SHEET</h1> <p>Conforming to Reg. (EU) 830/2015</p>				Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	12 di 14

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters


15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Skin Corr. 1C	Skin corrosion, category 1C
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1

 Società Italiana chimica	<h1>MATERIAL SAFETY DATA SHEET</h1> <p>Conforming to Reg. (EU) 830/2015</p>					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	13 di 14


Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H226	Flammable liquid and vapour.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)

 Società Italiana chimica	MATERIAL SAFETY DATA SHEET Conforming to Reg. (EU) 830/2015					Sheet Code S-P4/2-2
						Sch. Date 05/2010
						Sheet Rev.1
Document n°	Date prepared	N° rev.	Compiled by	Approved by	Filed by	Page
02/22	26/08/2024	1	RLAB	DG	RLAB	14 di 14

- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

- 23. Delegated Regulation (EU) 2024/197 (XXI Atp. CLP)

Changes to previous review:

The following sections were modified:

02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.