



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

1 of 18

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Code: **F\_203**  
Product name: **LAUNDRY DETERGENT for blacks and dark clothes**  
UFI: **JEJ0-P0JU-C00Y-X1RY**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
Laundry detergent	-	✓	✓

### Uses Advised Against

Do not use for uses other than those indicated

### 1.3. Details of the supplier of the safety data sheet

Name: **NEW FADOR S.r.l.**  
Full address: **via Mario Calderara, 31**  
District and Country: **25018 Montichiari (BS)**  
**Italia**  
Tel. **+39 030961 243**  
**www.newfador.it**

e-mail address of the competent person  
responsible for the Safety Data Sheet

**info@newfador.it**

### 1.4. Emergency telephone number

For urgent inquiries refer to **NEW FADOR S.r.l.**  
**+39 030961 243**  
**(08.30 - 17.30)**

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classified based on DetNet Logging Number 1758 documents

Hazard classification and indication:

Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

2 of 18



Signal words: Warning

Hazard statements:

**H319** Causes serious eye irritation.  
**H315** Causes skin irritation.  
**EUH208** Contains: 1,2-benzisothiazol-3(2H)-one  
May produce an allergic reaction.

Precautionary statements:

**P101** If medical advice is needed, have product container or label at hand.  
**P102** Keep out of reach of children.  
**P264** Wash your hands thoroughly after use.  
**P280** Wear protective gloves/ protective clothing / eye protection / face protection.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P337+P313** If eye irritation persists: Get medical advice/attention

## Ingredients according to Regulation (EC) No. 648/2004

Less than 5% Non-ionic surfactants, Soap  
5% or over but less than 15% Anionic surfactants

Enzymes

Perfumes

Preservation agents: Glutaral, Benzisothiazolinone, 2-Bromo-2-Nitropropane-1,3-Diol

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

### 3.1. Substances

Information not relevant

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
<b>BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS</b>		



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

3 of 18

INDEX -	$5 \leq x < 6$	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412 LD50 Oral: 1080 mg/kg
EC 270-115-0		
CAS 68411-30-3		
REACH Reg. 01-2119489428-22		
<b>ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS</b>		
INDEX -	$5 \leq x < 6$	Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412
EC 500-234-8		Eye Dam. 1 H318: $\geq 10\%$ , Eye Irrit. 2 H319: $\geq 5\%$
CAS 68891-38-3		
REACH Reg. 01-2119488639-16		
<b>ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED</b>		
INDEX -	$1,5 \leq x < 2$	Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412
EC 931-954-4		Eye Dam. 1 H318: $\geq 10\%$ , Eye Irrit. 2 H319: $\geq 1\%$ LD50 Oral: >300 mg/kg
CAS 160901-19-9		
REACH Reg. 01-2119490233-42		
<b>bronopol (INN)</b>		
INDEX 603-085-00-8	$0 \leq x < 0,05$	Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Acute 1 H400 M=10, Aquatic Chronic 2 H411 STA Oral: 500 mg/kg, STA Dermal: 1100 mg/kg
EC 200-143-0		
CAS 52-51-7		
REACH Reg. 01-2119980938-15		
<b>phosphoric acid 0,007%</b>		
INDEX 015-011-00-6	$0 \leq x < 0,05$	Met. Corr. 1 H290, Skin Corr. 1B H314, Eye Dam. 1 H318, Classification note according to Annex VI to the CLP Regulation: B Skin Corr. 1B H314: $\geq 25\%$ , Skin Irrit. 2 H315: $\geq 10\%$ , Eye Dam. 1 H318: $\geq 25\%$ , Eye Irrit. 2 H319: $\geq 10\%$
EC 231-633-2		
CAS 7664-38-2		
REACH Reg. 01-2119485924-24		
<b>1,2-benzisothiazol-3(2H)-one</b>		
INDEX 613-088-00-6	$0 \leq x < 0,05$	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1 Skin Sens. 1 H317: $\geq 0,05\%$
EC 220-120-9		
CAS 2634-33-5		LD50 Oral: 490 mg/kg
<b>MORPHOLINE</b>		



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

4 of 18

INDEX 613-028-00-9

$0 \leq x < 0,05$

Flam. Liq. 3 H226,  
Acute Tox. 4 H302,  
Acute Tox. 4 H312,  
Acute Tox. 4 H332,  
Skin Corr. 1B H314,  
Eye Dam. 1 H318  
LD50 Oral: 1050 mg/kg, STA Dermal: 1100 mg/kg,  
STA Inhalation vapours: 11 mg/l

EC 203-815-1

CAS 110-91-8

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

### 5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

5 of 18

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory references:

BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CZE	Česká Republika	Nariadení vlády č. 41/2020 Sb. Nařízení vlády, kterým se mění nařízení vlády č. 361/2007 Sb., kterým se stanoví podmínky ochrany zdraví při práci, ve znění pozdějších předpisů
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2021



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

6 of 18

FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
FIN	Suomi	HTP-VÄRDEN 2020. Koncentrationer som befunnits skadliga. SOCIAL - OCH HÄLSOVÄRDSMINISTERIETS PUBLIKATIONER 2020:25
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ``σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία``»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdi og grenseverdi for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdi), 21. august 2018 nr. 1255
NLD	Nederland	Arbeidsomstandighedenregeling. Lijst van wettelijke grenswaarden op grond van de artikelen 4.3, eerste lid, en 4.16, eerste lid, van het Arbeidsomstandighedenbesluit
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
ROU	România	Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénnym faktorom pri práci v znení neskorších predpisov
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

## BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,268	mg/l
Normal value in marine water	0,027	mg/l
Normal value for fresh water sediment	8,1	mg/kg
Normal value for marine water sediment	6,8	mg/kg
Normal value for water, intermittent release	0,017	mg/l
Normal value of STP microorganisms	3,43	mg/l
Normal value for the terrestrial compartment	35	mg/kg

## Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Chronic systemic	Effects on workers		
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local
Oral				0,425 mg/kg bw/d			
Inhalation			1,5	1,5 mg/m3		6	6 mg/m3
Skin				42,5 mg/kg bw/d			85 mg/kg bw/d

## ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Predicted no-effect concentration - PNEC

Normal value in fresh water	0,24	mg/l
Normal value in marine water	0,024	mg/l
Normal value for fresh water sediment	0,917	mg/kg



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

7 of 18

Normal value for marine water sediment	0,092	mg/kg
Normal value for water, intermittent release	0,071	mg/l
Normal value of STP microorganisms	10	g/l
Normal value for the terrestrial compartment	7,5	mg/kg

## Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				15 mg/kg bw/d				
Inhalation				52 mg/m3				175 mg/m3
Skin				1650 mg/kg bw/d				2750 mg/kg bw/d

## bronopol (INN)

### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,01	mg/l
Normal value in marine water	0,001	mg/l
Normal value for fresh water sediment	0,041	mg/kg/d
Normal value for marine water sediment	0,003	mg/kg/d
Normal value for water, intermittent release	0,003	mg/l
Normal value of STP microorganisms	0,43	mg/l
Normal value for the terrestrial compartment	0,5	mg/kg/d

## Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		1,1 mg/kg bw/d		0,35 mg/kg bw/d				
Inhalation	1,3 mg/m3	3,7 mg/m3	1,3 mg/m3	1,2 mg/m3	4,2 mg/m3	12,3 mg/m3	4,2 mg/m3	4,1 mg/m3
Skin	0,008 mg/cm2	4,2 mg/kg bw/d	0,008 mg/cm2	1,4 mg/kg bw/d	0,013 mg/cm2	7 mg/kg bw/d	0,013 mg/cm2	2,3 mg/kg bw/d

## phosphoric acid 0,007 %

### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV	BGR	1		2		
TLV	CZE	1		2		
AGW	DEU	2		4		INHAL
MAK	DEU	2		4		INHAL
TLV	DNK	1				
VLA	ESP	1		2		
VLEP	FRA	1	0,2	2	0,5	
HTP	FIN	1		2		
TLV	GRC	1		3		
AK	HUN	1		2		
GVI/KGVI	HRV	1		2		
VLEP	ITA	1		2		



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

8 of 18

TLV	NOR	1	
TGG	NLD	1	2
VLE	PRT	1	2
NDS/NDSch	POL	1	2
NGV/KGV	SWE	1	3
NPEL	SVK	1	2
WEL	GBR	1	2
OEL	EU	1	2
TLV-ACGIH		1	3

## Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,1 mg/kg bw/d				
Inhalation			0,36 mg/m3	4,57 mg/m3			1 mg/m3	10,7 mg/m3

## MORPHOLINE

### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV	BGR	36	10	72	20	
TLV	CZE	35	9,66	70	19,32	
AGW	DEU	36	10	72	20	SKIN
MAK	DEU	36	10	72	20	
TLV	DNK	36	10			SKIN E
VLA	ESP	36	10	72	20	
VLEP	FRA	36	10	72	20	
HTP	FIN	36	10	72	20	SKIN
TLV	GRC	36	10	72	20	
AK	HUN	36		72		
VLEP	ITA	36	10	72	20	SKIN
TLV	NOR	36	10			SKIN
TGG	NLD	36		72		SKIN
VLE	PRT	36	10	72	20	
NDS/NDSch	POL	36		72		SKIN
TLV	ROU	36	10	72	20	
NGV/KGV	SWE	35	10	72	20	
NPEL	SVK	36	10	72	20	
MV	SVN	36	10	72	20	SKIN
WEL	GBR	36	10	72	20	SKIN
OEL	EU	36	10	72	20	
TLV-ACGIH		71	20			SKIN

Legend:





# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

9 of 18

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

### HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	bianco opalescente	
Odour	characteristic	Method: olfactory
Melting point / freezing point	0 °C	Method: literature data Substance: WATER
Initial boiling point	100 °C	Method: literature data Substance: WATER
Flammability	not available	Reason for missing data: The substance/mixture is not flammable



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

10 of 18

Lower explosive limit	not available	Reason for missing data: The substance/mixture is not explosive
Upper explosive limit	not available	Reason for missing data: The substance/mixture is not explosive
Flash point	not available	Reason for missing data: The substance/mixture is not flammable
Auto-ignition temperature	not available	Reason for missing data: The substance/mixture does not self -have
Decomposition temperature	not available	Reason for missing data:It only applies to authoritative substances and mixtures, organic peroxides and other substances and mixtures that they can decompose
pH	8,5-9.5	Method:internal method Concentration: 100 % Temperature: 20 °C
Kinematic viscosity	1500 ± 300	Method:viscosimetro
Solubility	Complete in water	Method:internal
Partition coefficient: n-octanol/water	not available	Reason for missing data:does not apply to inorganic and ionic liquids and, as a rule, it does not apply to blends
Vapour pressure	not available	Reason for missing data:not determined
Density and/or relative density	1,03	Method:scaled scale and cylinder Temperature: 20 °C
Relative vapour density	not available	Reason for missing data:not determined

## Particle characteristics

### Median equivalent diameter

Remark: It only applies to solids

### Size distribution

Remark: It only applies to solids

### Dustiness

Remark: It only applies to solids

### Specific surface area

Remark: It only applies to solids

### Shape

Remark: It only applies to solids

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Information not available

### 9.2.2. Other safety characteristics

Explosive properties	not available	Reason for missing data: Absent chemical groups associated with explosive properties in accordance with the provisions of Annex I, Part 2, chap. 2.1.4.3 of Reg. (EC) 1272/2008 - CLP
Oxidising properties	not available	Reason for missing data: Absent requirements related to the presence of atoms or chemical bonds associated with oxidizing properties in the molecules of the components according to Annex I, Part 2, 2.13.4 Reg. (CE) 1272/2008



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

11 of 18

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

bronopol (INN)

Decomposes on contact with: water,metals,strong bases.

phosphoric acid 0,007 %

Decomposes at temperatures above 200°C/392°F.

MORPHOLINE

On contact with: strong oxidising agents,reducing agents,strong acids,strong bases.May develop: heat.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

phosphoric acid 0,007 %

Risk of explosion on contact with: nitromethane.May react dangerously with: alkalis,sodium borohydride.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

bronopol (INN)

Avoid exposure to: light,UV rays,moisture.

### 10.5. Incompatible materials

phosphoric acid 0,007 %

Incompatible with: metals,strong alkalis,aldehydes,organic sulphides,peroxides.

### 10.6. Hazardous decomposition products

bronopol (INN)

May develop: nitric oxide,carbon oxides,hydrobromic acid.

phosphoric acid 0,007 %

May develop: phosphoryl oxides.

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

12 of 18

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

### Information on likely routes of exposure

Information not available

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

### Interactive effects

Information not available

### ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)  
ATE (Oral) of the mixture: >2000 mg/kg  
ATE (Dermal) of the mixture: Not classified (no significant component)

### BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LD50 (Dermal): > 2000 mg/kg rat  
LD50 (Oral): 1080 mg/kg rat

### ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LD50 (Dermal): > 2000 mg/kg rat  
LD50 (Oral): > 2000 mg/kg rat

### ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

LD50 (Dermal): > 2000 mg/kg rabbit  
LD50 (Oral): > 300 mg/kg rat

### bronopol (INN)

LD50 (Dermal): > 2000 mg/kg bw rat  
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)  
LD50 (Oral): 254 mg/kg Male Rat  
LC50 (Inhalation mists/powders): > 0,588 mg/l air/4h rat

### phosphoric acid 0,007 %

LD50 (Dermal): > 1260 mg/kg bw rabbit  
at the concentration of 85%  
LD50 (Oral): 2600 mg/kg bw Rat  
LC50 (Inhalation mists/powders): 61 mg/m<sup>3</sup> Guinea pig for 1 h

### 1,2-benzisothiazol-3(2H)-one

LD50 (Oral): 490 mg/kg

### MORPHOLINE

LD50 (Dermal): 500 mg/kg Rabbit  
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP  
(figure used for calculation of the acute toxicity estimate of the mixture)  
LD50 (Oral): 1050 mg/kg Rat  
LC50 (Inhalation vapours): 35,1 mg/l/1h Rat

### SKIN CORROSION / IRRITATION

Causes skin irritation

### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation.

### RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

1,2-benzisothiazol-3(2H)-one



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

13 of 18

## GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

## CARCINOGENICITY

Does not meet the classification criteria for this hazard class

## REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

## STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

## STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

## ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

#### ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

EC50 - for Algae / Aquatic Plants

> 1 mg/l/72h *Desmodesmus subspicatus*

EC10 for Crustacea

> 0,1 mg/l *Daphnia magna*

bronopol (INN)

LC50 - for Fish

35,7 mg/l/96 d *Lepomis macrochirus*

EC50 - for Crustacea

0,27 mg/l/21 d *Daphnia magna*

EC50 - for Algae / Aquatic Plants

0,25 mg/l/72h *Skeletonema costatum*

Chronic NOEC for Fish

> 20 mg/l/96 h *Lepomis macrochirus*

Chronic NOEC for Crustacea

0,27 mg/l/21 d *Daphnia magna*

Chronic NOEC for Algae / Aquatic Plants

0,08 mg/l/72 h *Skeletonema costatum*

#### BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

LC50 - for Fish

1,67 mg/l/96h

EC50 - for Crustacea

2,9 mg/l/48h

EC50 - for Algae / Aquatic Plants

0,91 mg/l/72h

Chronic NOEC for Fish

0,23 mg/l 72d

Chronic NOEC for Crustacea

0,5 mg/l 7d

Chronic NOEC for Algae / Aquatic Plants

0,5 mg/l 96h

#### ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LC50 - for Fish

> 1 mg/l/96h *Danio rerio*

EC50 - for Crustacea

7,2 mg/l/48h *Daphnia magna*

EC50 - for Algae / Aquatic Plants

27 mg/l/72h *Desmodesmus subspicatus*

Chronic NOEC for Fish

0,14 mg/l 28d *Oncorhynchus mykiss*



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

14 of 18

Chronic NOEC for Crustacea 0,18 mg/l 21d Daphnia magna  
Chronic NOEC for Algae / Aquatic Plants 0,93 mg/l Desmodesmus subspicatus

phosphoric acid 0,007 %  
EC50 - for Crustacea > 100 mg/l/48h Daphnia magna, freshwater  
EC50 - for Algae / Aquatic Plants > 100 mg/l/72h Desmodesmus subspicatus, freshwater  
Chronic NOEC for Crustacea 56 mg/l Daphnia magna, freshwater  
Chronic NOEC for Algae / Aquatic Plants 100 mg/l Desmodesmus subspicatus, freshwater

## 12.2. Persistence and degradability

### MORPHOLINE

Solubility in water 1000 - 10000 mg/l

### ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Rapidly degradable  
bronopol (INN)

Solubility in water 286000 mg/l

### Rapidly degradable BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

Rapidly degradable  
ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Rapidly degradable  
phosphoric acid 0,007 %

Rapidly degradable

## 12.3. Bioaccumulative potential

### MORPHOLINE

Partition coefficient: n-octanol/water -2,55  
BCF < 0,65

### bronopol (INN)

Partition coefficient: n-octanol/water 0,22  
BCF 3,16

### BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS

BCF 159

## 12.4. Mobility in soil

### MORPHOLINE

Partition coefficient: soil/water -0,6196

### ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED

Partition coefficient: soil/water 3,69



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

15 of 18

bronopol (INN)

Partition coefficient: soil/water 1,56 Soil 4: clay loam

ALCOHOLS, C12-14, ETHOXYLATED,  
SULFATES, SODIUM SALTS

Partition coefficient: soil/water 0,34

## 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

## 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

## 12.7. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

not applicable

### 14.2. UN proper shipping name

not applicable

### 14.3. Transport hazard class(es)

not applicable

### 14.4. Packing group

not applicable

### 14.5. Environmental hazards

not applicable

### 14.6. Special precautions for user



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

16 of 18

not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

#### Product

Point 3 - 40

#### Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 2: Hazard to waters

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.





# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

17 of 18

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Flam. Liq. 3</b>	Flammable liquid, category 3
<b>Met. Corr. 1</b>	Substance or mixture corrosive to metals, category 1
<b>Acute Tox. 4</b>	Acute toxicity, category 4
<b>Skin Corr. 1B</b>	Skin corrosion, category 1B
<b>Eye Dam. 1</b>	Serious eye damage, category 1
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>STOT SE 3</b>	Specific target organ toxicity - single exposure, category 3
<b>Skin Sens. 1</b>	Skin sensitization, category 1
<b>Aquatic Acute 1</b>	Hazardous to the aquatic environment, acute toxicity, category 1
<b>Aquatic Chronic 2</b>	Hazardous to the aquatic environment, chronic toxicity, category 2
<b>Aquatic Chronic 3</b>	Hazardous to the aquatic environment, chronic toxicity, category 3
<b>H226</b>	Flammable liquid and vapour.
<b>H290</b>	May be corrosive to metals.
<b>H302</b>	Harmful if swallowed.
<b>H312</b>	Harmful in contact with skin.
<b>H332</b>	Harmful if inhaled.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H318</b>	Causes serious eye damage.
<b>H315</b>	Causes skin irritation.
<b>H335</b>	May cause respiratory irritation.
<b>H317</b>	May cause an allergic skin reaction.
<b>H400</b>	Very toxic to aquatic life.
<b>H411</b>	Toxic to aquatic life with long lasting effects.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration



# MATERIAL SAFETY DATA SHEET

Conforms to Reg. (EU) 878/2020

Issued on 04/09/2023

Revision n° 1

Rev. Date 04/09/2023

Page

18 of 18

- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
  4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
  10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
  11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
  14. Regulation (EU) 2018/669 (XI Atp. CLP)
  15. Regulation (EU) 2019/521 (XII Atp. CLP)
  16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
  17. Regulation (EU) 2019/1148
  18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
  19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
  20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
  21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
  22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA website
  - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.